

This is the Table of Contents for *Digital Video and HD Algorithms and Interfaces*, Second Edition (Burlington, Mass.: Elsevier/Morgan Kaufmann, 2012). Copyright © 2012 Charles Poynton

Contents

List of Figures xxi

List of Tables xxxi

Preface xxxvii

Legacy technology xxxix

Layout and typography xxxix

Formulas xxxix

Spelling xl

Acknowledgments xli

Part 1 – Introduction 1

1 Raster images 3

Aspect ratio 4

Geometry 6

Image capture 7

Digitization 7

Perceptual uniformity 8

Colour 10

Luma and colour difference components 11

Digital image representation 11

SD and HD 13

Square sampling 14

Comparison of aspect ratios 14

Aspect ratio 15

Frame rates 18

2 Image acquisition and presentation 19

Image state 20

EOCF standards 22

Entertainment programming 22

| | |
|---|--|
| | Acquisition 24 |
| | Consumer origination 24 |
| | Consumer electronics (CE) display 24 |
| 3 Linear-light and perceptual uniformity 27 | Contrast 28 Contrast ratio 29 Perceptual uniformity 30 The "code 100" problem and nonlinear image coding 31 Linear and nonlinear 36 |
| 4 Quantization 37 | Linearity 37 Decibels 38 Noise, signal, sensitivity 40 Quantization error 40 Full-swing 41 Studio-swing (footroom and headroom) 42 Interface offset 44 Processing coding 45 Two's complement wrap-around 46 |
| 5 Contrast, brightness, CONTRAST, and BRIGHTNESS 47 | Perceptual attributes 47 History of display signal processing 48 Digital driving levels 51 Relationship between signal and lightness 51 Algorithm 52 Black level setting 56 Effect of CONTRAST and BRIGHTNESS on contrast and brightness 56 An alternate interpretation 59 BRIGHTNESS and CONTRAST controls in LCDs 62 BRIGHTNESS and CONTRAST controls in PDPs 62 BRIGHTNESS and CONTRAST controls in desktop graphics 62 |
| 6 Raster images in computing 65 | Symbolic image description 66 Raster images 67 Conversion among types 72 Image files 72 "Resolution" in computer graphics 73 |
| 7 Image structure 75 | Image reconstruction 76 Sampling aperture 78 Spot profile 80 |

| | | |
|---|--|-----|
| | Box distribution | 80 |
| | Gaussian distribution | 81 |
| 8 Raster scanning | 83 | |
| | Flicker, refresh rate, and frame rate | 83 |
| | Introduction to scanning | 85 |
| | Scanning parameters | 86 |
| | Interlaced format | 88 |
| | Twitter | 89 |
| | Interlace in analog systems | 90 |
| | Interlace and progressive | 90 |
| | Scanning notation | 92 |
| | Motion portrayal | 93 |
| | Segmented-frame (24PsF) | 94 |
| | Video system taxonomy | 94 |
| | Conversion among systems | 95 |
| 9 Resolution | 97 | |
| | Magnitude frequency response and bandwidth | 97 |
| | Visual acuity | 99 |
| | Viewing distance and angle | 100 |
| | Kell effect | 102 |
| | Resolution | 103 |
| | Resolution in video | 104 |
| | Viewing distance | 104 |
| | Interlace revisited | 105 |
| 10 Constant luminance | 107 | |
| | The principle of constant luminance | 108 |
| | Compensating for the CRT | 109 |
| | Departure from constant luminance | 110 |
| | Luma | 111 |
| | "Leakage" of luminance into chroma | 112 |
| 11 Picture rendering | 115 | |
| | Surround effect | 116 |
| | Tone scale alteration | 117 |
| | Incorporation of rendering | 117 |
| | Rendering in desktop computing | 119 |
| 12 Introduction to luma and chroma | 121 | |
| | Luma | 121 |
| | Sloppy use of the term <i>luminance</i> | 122 |
| | Colour difference coding (chroma) | 123 |
| | Chroma subsampling | 124 |
| | Chroma subsampling notation | 125 |
| | Chroma subsampling filters | 127 |
| | Chroma in composite NTSC and PAL | 128 |

| | | |
|----|--|--|
| 13 | Introduction to component SD 129 | Scanning standards 129 Widescreen (16:9) SD 133 Square and nonsquare sampling 133 Resampling 134 |
| 14 | Introduction to composite NTSC and PAL 135 | NTSC and PAL encoding 136 NTSC and PAL decoding 137 S-video interface 137 Frequency interleaving 137 Composite analog SD 139 |
| 15 | Introduction to HD 141 | HD scanning 141 Colour coding for BT.709 HD 144 |
| 16 | Introduction to video compression 147 | Data compression 147 Image compression 148 Lossy compression 148 JPEG 149 Motion-JPEG 150 JPEG 2000 150 Mezzanine compression 151 MPEG 152 Picture coding types (I, P, B) 153 Reordering 156 MPEG-1 157 MPEG-2 157 Other MPEGs 158 MPEG IMX 158 MPEG-4 159 H.264 160 AVC-Intra 160 WM9, WM10, VC-1 codecs 160 Compression for CE acquisition 161 HDV 161 AVCHD 162 Compression for IP transport to consumers 162 VP8 ("WebM") codec 162 Dirac (basic) 162 |
| 17 | Streams and files 163 | Historical overview 164 Physical layer 166 Stream interfaces 166 IEEE 1394 (FireWire, i.LINK) 167 HTTP live streaming (HLS) 168 |

| | | | | |
|----|-------------------------------|-----|--|-----|
| 18 | Metadata | 171 | Metadata example 1: CD-DA | 172 |
| | | | Metadata example 2: .yuv files | 173 |
| | | | Metadata example 3: RFF | 174 |
| | | | Metadata example 4: JPEG/JFIF | 175 |
| | | | Metadata example 5: Sequence display extension | 176 |
| | | | Conclusions | 179 |
| 19 | Stereoscopic ("3-D") video | 181 | Acquisition | 181 |
| | | | S3D display | 181 |
| | | | Anaglyph | 182 |
| | | | Temporal multiplexing | 183 |
| | | | Polarization | 183 |
| | | | Wavelength multiplexing (Infitec/Dolby) | 184 |
| | | | Autostereoscopic displays | 185 |
| | | | Parallax barrier display | 185 |
| | | | Lenticular display | 185 |
| | | | Recording and compression | 186 |
| | | | Consumer interface and display | 186 |
| | | | Ghosting | 187 |
| | | | Vergence and accommodation | 188 |
| | | | Part 2 – Theory | 189 |
| 20 | Filtering and sampling | 191 | Sampling theorem | 192 |
| | | | Sampling at exactly $0.5f_s$ | 193 |
| | | | Magnitude frequency response | 196 |
| | | | Magnitude frequency response of a boxcar | 197 |
| | | | The sinc weighting function | 198 |
| | | | Frequency response of point sampling | 199 |
| | | | Fourier transform pairs | 200 |
| | | | Analog filters | 202 |
| | | | Digital filters | 202 |
| | | | Impulse response | 207 |
| | | | Finite impulse response (FIR) filters | 207 |
| | | | Physical realizability of a filter | 208 |
| | | | Phase response (group delay) | 209 |
| | | | Infinite impulse response (IIR) filters | 210 |
| | | | Lowpass filter | 211 |
| | | | Digital filter design | 214 |
| | | | Reconstruction | 216 |
| | | | Reconstruction close to $0.5f_s$ | 217 |
| | | | "(sin x)/x" correction | 218 |
| | | | Further reading | 220 |

| | | |
|----|---|--|
| 21 | Resampling, interpolation, and decimation 221 | <ul style="list-style-type: none"> 2:1 downsampling 224 Oversampling 224 Interpolation 226 Lagrange interpolation 227 Lagrange interpolation as filtering 229 Polyphase interpolators 231 Polyphase taps and phases 232 Implementing polyphase interpolators 233 Decimation 234 Lowpass filtering in decimation 234 |
| 22 | Image digitization and reconstruction 237 | <ul style="list-style-type: none"> Spatial frequency domain 238 Comb filtering 241 Spatial filtering 242 Image presampling filters 242 Image reconstruction filters 243 Spatial (2-D) oversampling 244 |
| 23 | Perception and visual acuity 247 | <ul style="list-style-type: none"> Retina 247 Adaptation 247 Contrast sensitivity 249 Contrast sensitivity function (CSF) 251 |
| 24 | Luminance and lightness 255 | <ul style="list-style-type: none"> Radiance, intensity 255 Luminance 256 Relative luminance 258 Luminance from red, green, and blue 258 Lightness (CIE L^*) 259 |
| 25 | The CIE system of colorimetry 265 | <ul style="list-style-type: none"> Fundamentals of vision 266 Definitions 266 Spectral power distribution (SPD) and tristimulus 267 Spectral constraints 268 CIE XYZ tristimulus 272 CIE [x, y] chromaticity 275 Blackbody radiation 276 Colour temperature 277 White 278 Chromatic adaptation 280 Perceptually uniform colour spaces 280 CIE $L^*u^*v^*$ 281 CIE $L^*a^*b^*$ (CIELAB) 283 CIE $L^*u^*v^*$ and CIE $L^*a^*b^*$ summary 284 |

| | | |
|----|---|-----|
| | Colour specification and colour image coding | 285 |
| | Further reading | 285 |
| 26 | Colour science for video | 287 |
| | Additive reproduction (<i>RGB</i>) | 288 |
| | Characterization of <i>RGB</i> primaries | 290 |
| | BT.709 primaries | 290 |
| | Legacy SD primaries | 293 |
| | sRGB system | 294 |
| | SMPTE Free Scale (FS) primaries | 294 |
| | AMPAS ACES primaries | 294 |
| | SMPTE/DCI P3 primaries | 295 |
| | CMFs and SPDs | 296 |
| | Normalization and scaling | 299 |
| | Luminance coefficients | 306 |
| | Transformations between <i>RGB</i> and CIE XYZ | 307 |
| | Noise due to matrixing | 308 |
| | Transforms among <i>RGB</i> systems | 309 |
| | Camera white reference | 310 |
| | Display white reference | 310 |
| | Gamut | 311 |
| | Wide-gamut reproduction | 312 |
| | Free Scale Gamut, Free Scale Log (FS-Gamut, FS-Log) | 312 |
| | Further reading | 313 |
| 27 | Gamma | 315 |
| | Gamma in CRT physics | 316 |
| | The amazing coincidence! | 318 |
| | Gamma in video | 318 |
| | Opto-electronic conversion functions (OECFs) | 320 |
| | BT.709 OECF | 320 |
| | SMPTE ST 240M transfer function | 322 |
| | sRGB transfer function | 323 |
| | Transfer functions in SD | 324 |
| | Bit depth requirements | 325 |
| | Gamma in modern display devices | 326 |
| | Estimating gamma | 326 |
| | Gamma in video, CGI, and Macintosh | 328 |
| | Gamma in computer graphics | 332 |
| | Gamma in pseudocolour | 332 |
| | Limitations of 8-bit linear coding | 333 |
| | Linear and nonlinear coding in CGI | 333 |
| 28 | Luma and colour differences | 335 |
| | Colour acuity | 335 |
| | <i>RGB</i> and <i>R'G'B'</i> colour cubes | 337 |

Conventional luma/colour difference coding 341
 Luminance and luma notation 342
 Nonlinear red, green, blue ($R'G'B'$) 345
 BT.601 luma 346
 BT.709 luma 346
 Chroma subsampling, revisited 347
 Luma/colour difference summary 347
 SD and HD luma chaos 350
 Luma/colour difference component sets 352

Part 3 – Practical matters 355

- 29 Component video colour coding for SD 357 $B'-Y'$, $R'-Y'$ components for SD 359
 $P_B P_R$ components for SD 359
 $C_B C_R$ components for SD 361
 $Y' C_B C_R$ from studio RGB 364
 $Y' C_B C_R$ from computer RGB 365
 "Full-swing" $Y' C_B C_R$ 365
 $Y'UV$, $Y'IQ$ confusion 367
- 30 Component video colour coding for HD 369 $B'-Y'$, $R'-Y'$ components for BT.709 HD 369
 $P_B P_R$ components for BT.709 HD 370
 $C_B C_R$ components for BT.709 HD 371
 $C_B C_R$ components for xvYCC 373
 $Y' C_B C_R$ from studio RGB 374
 $Y' C_B C_R$ from computer RGB 374
 Conversions between HD and SD 375
 Colour coding standards 376
- 31 Video signal processing 377 Edge treatment 377
 Transition samples 378
 Picture lines 379
 Choice of S_{AL} and S_{PW} parameters 380
 Video levels 381
 Setup (pedestal) 381
 BT.601 to computing 383
 Enhancement 383
 Median filtering 385
 Coring 385
 Chroma transition improvement (CTI) 387
 Mixing and keying 387
- 32 Frame, field, line, and sample rates 389 Field rate 389
 Line rate 390

| | |
|----|---|
| | Sound subcarrier 391 |
| | Addition of composite colour 391 |
| | NTSC colour subcarrier 391 |
| | 576i PAL colour subcarrier 393 |
| | $4f_{SC}$ sampling 393 |
| | Common sampling rate 394 |
| | Numerology of HD scanning 395 |
| | Audio rates 398 |
| 33 | Timecode 399 |
| | Introduction 399 |
| | Dropframe timecode 400 |
| | Editing 401 |
| | Linear timecode (LTC) 402 |
| | Vertical interval timecode (VITC) 402 |
| | Timecode structure 402 |
| | Further reading 404 |
| 34 | 2-3 pulldown 405 |
| | 2-3-3-2 pulldown 407 |
| | Conversion of film to different frame rates 408 |
| | Native 24 Hz coding 411 |
| | Conversion to other rates 412 |
| 35 | Deinterlacing 413 |
| | Spatial domain 413 |
| | Vertical-temporal domain 415 |
| | Motion adaptivity 416 |
| | Further reading 418 |
| 36 | Colourbars 419 |
| | SD colourbars 419 |
| | SD colourbar notation 421 |
| | PLUGE element 421 |
| | Composite decoder adjustment using colourbars 422 |
| | -I, +Q, and PLUGE elements in SD colourbars 423 |
| | HD colourbars 423 |
| | Part 4 – Studio standards 425 |
| 37 | Reference display and viewing conditions 427 |
| | References 428 |
| 38 | SDI and HD-SDI interfaces 429 |
| | Component digital SD interface (BT.601) 430 |
| | Serial digital interface (SDI) 432 |
| | Component digital HD-SDI 432 |
| | SDI and HD-SDI sync, TRS, and ancillary data 433 |
| | TRS in 4:2:2 SD-SDI 434 |

| | | |
|-----------|---|------------|
| | TRS in HD-SDI | 436 |
| | Analog sync and digital/analog timing relationships | 437 |
| | Ancillary data | 437 |
| | SDI coding | 439 |
| | HD-SDI coding | 440 |
| | Interfaces for compressed video | 441 |
| | SDTI | 441 |
| | Switching and mixing | 442 |
| | Timing in digital facilities | 442 |
| | ASI | 443 |
| | Summary of digital interfaces | 443 |
| 39 | 480<i>i</i> component video | |
| | 445 | |
| | Frame rate | 445 |
| | Interlace | 445 |
| | Line sync | 447 |
| | Field/frame sync | 447 |
| | <i>R'G'B'</i> EOCF and primaries | 448 |
| | Luma (<i>Y'</i>) | 450 |
| | Picture center, aspect ratio, and blanking | 450 |
| | Halfline blanking | 451 |
| | Component digital 4:2:2 interface | 452 |
| | Component analog <i>R'G'B'</i> interface | 452 |
| | Component analog <i>Y'P_BP_R</i> interface, EBU N10 | 453 |
| | Component analog <i>Y'P_BP_R</i> interface, industry standard | 455 |
| 40 | 576<i>i</i> component video | |
| | 457 | |
| | Frame rate | 457 |
| | Interlace | 457 |
| | Line sync | 459 |
| | Analog field/frame sync | 459 |
| | <i>R'G'B'</i> EOCF and primaries | 460 |
| | Luma (<i>Y'</i>) | 462 |
| | Picture center, aspect ratio, and blanking | 462 |
| | Component digital 4:2:2 interface | 463 |
| | Component analog 576 <i>i</i> interface | 464 |
| 41 | 1280×720 HD | 467 |
| | Scanning | 467 |
| | Analog sync | 468 |
| | Picture center, aspect ratio, and blanking | 469 |
| | <i>R'G'B'</i> EOCF and primaries | 469 |
| | Luma (<i>Y'</i>) | 471 |
| | Component digital 4:2:2 interface | 471 |

- 42 1920×1080 HD 473
 - Scanning 473
 - Analog sync 475
 - Picture center, aspect ratio, and blanking 478
 - R'G'B'* EOCF and primaries 478
 - Luma (*Y'*) 480
 - Component digital 4:2:2 interface 480

- 43 HD videotape 481
 - D-5 HD (HD-D5, D-15) 482
 - D-6 482
 - HDCAM (D-11) 482
 - DVCPRO HD (D-12) 482
 - HDCAM SR (D-16) 483

- 44 Component analog HD interface 485
 - Pre- and postfiltering characteristics 487

- Part 5 – Video compression 489**

- 45 JPEG and motion-JPEG (M-JPEG) compression 491
 - JPEG blocks and MCUs 492
 - JPEG block diagram 494
 - Level shifting 495
 - Discrete cosine transform (DCT) 495
 - JPEG encoding example 496
 - JPEG decoding 500
 - Compression ratio control 501
 - JPEG/JFIF 502
 - Motion-JPEG (M-JPEG) 503
 - Further reading 504

- 46 DV compression 505
 - DV chroma subsampling 506
 - DV frame/field modes 507
 - Picture-in-shuttle in DV 508
 - DV overflow scheme 508
 - DV quantization 510
 - DV digital interface (DIF) 511
 - Consumer DV recording 512
 - Professional DV variants 512

- 47 MPEG-2 video compression 513
 - MPEG-2 profiles and levels 514
 - Picture structure 517
 - Frame rate and 2-3 pulldown in MPEG 518
 - Luma and chroma sampling structures 519
 - Macroblocks 520
 - Picture coding types – I, P, B 520

| | |
|-------------------------------------|--|
| | Prediction 521 |
| | Motion vectors (MVs) 524 |
| | Coding of a block 525 |
| | Frame and field DCT types 525 |
| | Zigzag and VLE 527 |
| | Refresh 528 |
| | Motion estimation 528 |
| | Rate control and buffer management 531 |
| | Bitstream syntax 533 |
| | Transport 535 |
| | Further reading 535 |
| 48 H.264 video compression 537 | Algorithmic features, profiles, and levels 538 |
| | Baseline and extended profiles 540 |
| | High profiles 541 |
| | Hierarchy 541 |
| | Multiple reference pictures 541 |
| | Slices 542 |
| | Spatial intra prediction 542 |
| | Flexible motion compensation 542 |
| | Quarter-pel motion-compensated interpolation 543 |
| | Weighting and offsetting of MC prediction 543 |
| | 16-bit integer transform 543 |
| | Quantizer 544 |
| | Variable-length coding 544 |
| | Context adaptivity 546 |
| | CABAC 546 |
| | Deblocking filter 546 |
| | Buffer control 547 |
| | Scalable video coding (SVC) 547 |
| | Multiview video coding (MVC) 548 |
| | AVC-Intra 548 |
| | Further reading 548 |
| 49 VP8 compression 549 | Algorithmic features 550 |
| | Further reading 552 |
| | Part 6 – Distribution standards 553 |
| 50 MPEG-2 storage and transport 555 | Elementary stream (ES) 556 |
| | Packetized elementary stream (PES) 556 |
| | MPEG-2 program stream 556 |
| | MPEG-2 transport stream 556 |

| | | |
|----|---|-----|
| | System clock | 557 |
| | Further reading | 558 |
| 51 | Digital television broadcasting | 559 |
| | Japan | 560 |
| | United States | 560 |
| | ATSC modulation | 561 |
| | Europe | 563 |
| | Further reading | 563 |
| | Appendices | 565 |
| A | <i>YUV and luminance</i> considered harmful | 567 |
| | Cement vs. concrete | 567 |
| | True CIE luminance | 568 |
| | The misinterpretation of luminance | 568 |
| | The enshrining of luma | 570 |
| | Colour difference scale factors | 571 |
| | Conclusion: A plea | 572 |
| B | Introduction to radiometry and photometry | 573 |
| | Radiometry | 574 |
| | Photometry | 575 |
| | Light level examples | 578 |
| | Image science | 578 |
| | Units | 579 |
| | Further reading | 580 |
| | Glossary | 581 |
| | Index | 669 |